

# Theory of Computer Science

M. Helmert  
F. Pommerening  
Spring Term 2016

University of Basel  
Computer Science

## Exercise Sheet 9

**Due: Wednesday, May 4, 2016**

*Note:* Submissions that are exclusively created with L<sup>A</sup>T<sub>E</sub>X will receive a bonus mark. Please submit only the resulting PDF file (or a printout of this file).

### Exercise 9.1 (Turing Machines; 2 Points)

Describe (in words) a Turing machine which computes the function  $f(\mathbf{a}^{2i}) = \mathbf{b}^i$  for words over the alphabet  $\Sigma = \{\mathbf{a}, \mathbf{b}\}$ .

*Note:* Use statements which have a similar level of detail as the following examples: “move the reading head to the left, until it reads an  $\mathbf{a}$ ” and “if a  $\mathbf{b}$  is read, go into an endless loop”.

### Exercise 9.2 (Definition of Turing Machines; 2 Points)

Specify the transition diagram of a Turing machine which computes the *predecessor function*  $pred_2$  over natural numbers (see slide 24 in slide set D1). *Additionally* describe (in words) how your Turing machine works.

### Exercise 9.3 (Computability of Compositions; 2 Points)

Let  $f : \Sigma^* \rightarrow \Sigma^*$  and  $g : \Sigma^* \rightarrow \Sigma^*$  be Turing-computable partial functions for an alphabet  $\Sigma$ . Show that the *composition*  $(f \circ g) : \Sigma^* \rightarrow \Sigma^*$  is also turing-computable.

In general the composition of two functions is defined as  $(f \circ g)(x) = f(g(x))$ . Specifically, the value  $(f \circ g)(x)$  is undefined if  $g(x)$  is undefined.

### Exercise 9.4 (Syntactic Sugar for LOOP-Programs; 3 Points)

Simulate the following syntactical constructs for LOOP-programs (with obvious semantics) by using already known constructs. In addition to the base constructs of LOOP programs you may use the additional constructs introduced in chapter D2.

- (a) **IF**  $x_i > c$  **THEN**  $P$  **ELSE**  $P'$  **END**
- (b) **IF**  $x_i = x_j$  **THEN**  $P$  **END**
- (c) **FOR**  $x_i = 0$  **TO**  $c$  **DO**  $P$  **END**

In the above constructs  $P$  and  $P'$  are arbitrary LOOP-programs and  $i, j, c \in \mathbb{N}_0$  are arbitrary natural numbers.

### Exercise 9.5 (WHILE-Programs; 1 Points)

Which binary function does the following WHILE-program compute? Is this function LOOP-computable? Justify your answer to the latter question.

```
WHILE  $x_1 \neq 0$  DO  
   $x_1 := x_1 - x_2$   
   $x_0 := x_0 + 1$   
END;
```